




SpaceVac High-Level Cleaning Systems
Illustrated Catalogue





# British Engineering. Global Issues.

SpaceVac are the world's leading manufacturer of high-level vacuum cleaning and inspection systems.

The SpaceVac system was first invented over a decade ago and since then, continuous research and development has led to a range of 15 unique systems that are revolutionising high-level cleaning.

The system was first introduced as a way of helping cleaners to clean blocked guttering from the ground floor. Following increasing customer demand however, this product has since been expanded to develop new lines for use in internal dusting, the removal of hazardous combustible materials and even cleaning in specialist environments.

Since our products were first launched onto the market, they have helped some of the biggest businesses in the world overcome the unique challenges associated with high-level cleaning.

Universal Cleaning Solutions to Unique Cleaning Challenges.

High-level cleaning is an area that affects almost all businesses - albeit often in different ways. Over time, accumulated dust can not only visually impact the environment

inside a building but also create and aggravate health complaints for people living and working within the space.

For some businesses - their highlevel requirements are external with a need to clear blockages from guttering and downpipes before leaks can cause damage to the building itself.

For some clients however - material gathering at heights creates even more dangerous concerns. Left unchecked, dust accumulating in cable trays and lighting systems can lead to overheating and fires breaking out. Meantime, in specialist ATEX rated areas such as bakeries, woodmills or specialist manufacturers, then this risk can be deadly - with the accumulated dust serving as a highly combustible fuel source in the event of a fire or explosion.

# Loved by Cleaning Teams and Accountants Alike

By introducing a simple to use, floor operated solution to these problems, SpaceVac not only presented cleaning teams with a safer way to conduct their work - by removing the need to work at height - but its introduction also offers a number of unique benefits to our clients.

Our interlocking high-level pole systems remove the need for additional access equipment that would previously have been required. These items - such as scaffolding, ladders or hydraulic lifts - not only require multiple members of staff to operate but are also expensive and time consuming to set up and move around a facility.

The simple removal of these items from cleaning regimes means operators can complete cleaning work in a fraction of the time and substantially cheaper than they could utilising traditional cleaning methods.

In addition - the small footprint and non-disruptive nature of the system means cleaning work has less impact on operations - reducing downtime and increasing productivity.

All of our products are proudly manufactured in the UK with our focus on innovation and improvement continuing to deliver high-quality, innovative new products for our clients around the world.



Scan to browse a range of Case studies from Ikea, Tesco and more at our website!

# Innovation. Not Imitation.

Since our line of high-level cleaning systems first entered the marketplace, our engineering team have continued to develop, adapt and refine our systems.

Today our range includes 15 different cleaning systems - all manufactured in the UK - designed to suit a range of different cleaning environments and price points - as well as a full range of specialist systems, accessories, addons and ancillary products.

The core lines within the SpaceVac range are our Internal, ATEX and External systems - each comprised of a full hose kit\*, pole kit and range of cleaning tools and brushes. Available at a range of price points - from our entry level LITE system to our market leading ULTRA system - the range all feature our unrivalled build quality and come equipped with our unique safety locking mechanism as standard.

Joining the SpaceVac range are a number of specialist systems all designed with very specific purposes in mind. The first - an ATEX approved **Food Safe Cleaning** system with FDA cleaning accessories suitable for use in Food and Drink manufacturing facilities - where the highest standards in cleanliness and hygiene are a must.

This exciting addition is joined by our **High-Voltage** pole system (Rated

as capable of withstanding up to 50,000 volts) for use in high-voltage trackside environments and a unique **Museums and Fine Art** accessory pack designed to provide soft touch, non-abrasive cleaning of old and delicate items.

In addition, our team have also worked hard to create a range of supporting add-ons and accessories to enhance and add further functionality to our products.

In late 2020 we were delighted to unveil the new Explorer Camera system - a game changing new development in camera and monitoring technology offering unrivalled quality and specifications (First utilised on the NASA / Orbital Sciences Space Mission). The new camera system boasts a 9 hour battery life, 12MP photos and 1080p recording as well as a unique remote access function to allow sharing of feed with offsite colleagues.

#### Putting the Vac in SpaceVac

As we enter 2022 - the latest addition to the SpaceVac range is our brand new line of Spacevac vacuum cleaners; designed to provide the perfect companion to any SpaceVac high-level cleaning system.

Hand built by a team of vacuum specialists to our exacting

specifications, the newly released trio of vacs are engineered to provide a powerful cleaning performance in any area

The new SpaceVac line features three systems. The first is the new **Endeavour**; a dual motor system designed for removing high-level dust and other materials from internal areas.

Moving up the range, users looking to clean internally and externally, will look to our new **Hurricane** wet / dry vac - living up to its moniker with three independent motors providing powerful suction and airflow for cleaning with our Internal and External cleaning systems.

Finally; operators working in ATEX certified areas such as industrial manufacturing facilities or bakeries, can now also utilise the new **SpaceVac TITAN and TITAN a Vacs**. The centrepiece of our Vacuum line, the Titans are new ATEX certified vacuum units safe for use in these highly specialised environments in conjunction with our range of conductive, full Carbon cleaning systems.

In addition to their impressive specifications (see over) all of these exciting new vac system are also fitted with new "Tool Holders" for easy storage and access to SpaceVac poles and tools when cleaning - another innovative new design feature.

#### Innovation not Imitation

The future looks bright for #TeamSpaceVac: Our focus on developing new and innovative products with our UK manufacturing

team means a number of exciting new products are already being readied for launch.

Among these new developments are the launch of our new entry level EXTERNAL LITE system for window cleaners and other businesses looking to get started with gutter cleaning. This new product is joined by a new ATEX certified version of our Explorer Camera (The EXplorer), and the latest addition to our stable of cleaning innovations; the launch of our new Titan 2 vacuum, 2.2kw, which will be available in 230 volt x 16 amp and 110 volt x 32 amp versions for use in combustible environments with our ATEX cleaning systems.

Book a demo of any of our highlevel cleaning systems or vacuum today - visit the website at spacevacinternational.com







The SpaceVac Lite cleaning system is a low-cost entry level product for occasional use and teams only requiring a few metres of additional reach.

Ideal for use in domestic settings as well as light commercial use such as smaller retail units or office space where the removal of dust is critical to not only cleanliness, but also the health of employees working within the space.

Featuring our unique "safety locking mechanism" the SpaceVac Lite system is capable of reaching over 4m in height and can be fully accessorised with a range of additional add-on tools to give users increased flexibility.

# Product Focus: 38mm Internal Lite

No of Poles: 3
Material: Glass Fibre
Working Height: 4.75m
Length of Enclosed Poles: 3.75m
Pole Diameter: 38mm
Pole Length: 1.25m
No of Heads: 1
No of Brushes: 2
Hose Kit Included: No

# Accessories & Add-Ons available:

Be sure to check out our the range of extra tools and brushes you can add to your Spacevac on Page 22

# What's Included: SV38/LITE

Each 38mm SpaceVac Lite system comes with the following items included as standard:



3 x 5V38/125-LITE 3 x 38mm x 1.25m LITE Pole



**SV/LPB** 1 x Lite Pole Bag



SV38/32HA 1 X 32mm Hose to Pole Adaptor



**SV38/goH** 1 x go Degree Cleaning Head



SV38/8SW 1 x 20cm Small Flexi Brush



**SV38/SRB**1 x Small Round Brush

Don't Forget: All of our SpaceVac cleaning systems can be accessorised with a range of add-on tools and accessories - be sure to check our accessories and add-ons section for more information.

# Some of our Clients Include:




















The Pioneer system is designed to fill the gap between our budget friendy, entry-level LITE system and the bigger, more powerful systems available elsewhere in the range.

Reaching over 6m in height from the safety of the ground floor, the Pioneer system has been designed for users looking for a little extra reach and functionality in their SpaceVac system.

Often paired with a backpack vacuum, the unobtrusive working method, means that our easy to deploy system allows maintenance to be carried out with minimal disruption to personnel in the area.

# **Product Focus:** 38mm Internal Pioneer

No of Poles: 3.5 Material: Glass Fibre / Carbon Fibre Composite Working Height: 6.6m Length of Enclosed Poles: 5.6m Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 3 No of Brushes: 2 No of Tools: 1 **Hose Kit Included:** Yes Hose Diameter: 38mm

(Hose pictured for illustrative purposes - length of hose varies by system.)



SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!

# What's Included: SV38/PIONEER

Each 38mm SpaceVac Pioneer system comes with the following items included as standard:



3 x SV38/16-Pioneer 3 X 38mm X 1.6m Pioneer Pole



SV38/08-Pioneer 1 X 38mm X 0.8m Pioneer Half Pole



SV/PB 1 x Padded Pole Bag



SV38/8SW 1 x 20cm Small Flexi Brush



SV<sub>3</sub>8/FLT Tool



SV<sub>3</sub>8/SRB 1 x 30cm Flat Surface 1 x Small Round Brush



SV38/45H 1 x 45 Degree Cleaning Head



SV38/135H 1 x 135 Degree Cleaning Head



SV38/90H 1 x 90 Degree Cleaning 1 x 3m Hose Head



SV38/3H



**SV38/HA** 1 x Hose to Pole Adaptor



SV38/50HC 1 x 38mm Vac Inlet Cuff



SV/HB 1 x Hose Bag











Our Internal Classic System provides operators with a safe and easy way to clean high-level areas up to 10m high from the safety of the ground floor.

Designed and manufactured in the UK, the 38mm classic pole, is made from a high grade 3K Carbon Fibre blend to keep the pole weight to a minimum (when compared with alternative aluminium cleaning poles), whilst being robust enough to withstand rigorous use onsite.

Additionally; the Classic system includes a full range of unique heads, and brushes, providing a versatile cleaning solution, that can even interconnect to create custom shapes and configurations for cleaning difficult to access areas!

# **Product Focus:** 38mm Internal Classic

No of Poles: 5.5 Material: Glass Fibre / Carbon Fibre Composite Carbon Weave: Unidirectional 3K Working Height: 9.8m Length of Enclosed Poles: 8.8m Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 4 No of Brushes: 4 No of Tools: 1 **Hose Kit Included:** Yes Hose Diameter: 38mm

(Hose pictured for illustrative purposes - length of hose varies by system.)



SCAN TO FIND OUT MORE ABOUT OUR

# What's Included: 5V38/CLASSIC

Each 38mm SpaceVac Classic system comes with the following items included as standard:



5 x SV38/16-Classic 5 x 38mm x 1.6m Classic Pole



SV38/08-Classic 1 X 38mm X 0.8m Classic Half Pole



SV/PB 1 x Padded Pole Bag



1 x 20cm Small Flexi Brush



SV38/15SW 1 x 38cm Large Flexi Brush



SV<sub>3</sub>8/SRB 1 x Small Round Brush



SV38/FLT 1 x 30cm Flat Surface



SV38/12DB 1 X 30cm Ducting Brush



SV38/45H 1 x 45 Degree Cleaning Head



SV38/90H 1 x 90 Degree Cleaning Head



SV38/135H 1 x 135 Degree Cleaning 1 x Straight Cleaning Head



SV38/STR Head



SV/MB 1 x Mesh Bag



SV38/5H 1 x 5m Hose



**SV38/HA** 1 x Hose to Pole Adaptor



SV38/50HC 1 x 38mm Vac Inlet Cuff



SV/HB 1 x Hose Bag



Operators looking to reach increased heights turn to the SpaceVac Pro 38mm system for heavy duty performance.

In developing our Pro poles, SpaceVac's engineering team faced a unique challenge - how to increase the reach of the SpaceVac system without compromising operation.

By employing advancements in Carbon engineering technology, the team developed a new carbon fibre blend; utilising increased amounts of carbon to produce a cleaning pole that not only reduced the individual pole weight (crucial when adding additional poles to reach increased heights) but also improved the rigidity of the complete system to ensure improved stability - even at full height.

# **Product Focus:** 38mm Internal Pro

No of Poles: 7.5 Material: Carbon Fibre Carbon Weave: 4k Full Carbon Fibre Working Height: 13m Length of Enclosed Poles: 12m Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 4 No of Brushes: 4 No of Tools: 1 **Hose Kit Included:** Yes Hose Diameter: 38mm

(Hose pictured for illustrative purposes - length of hose varies by system.)

SCAN TO FIND OUT MORE ABOUT OUR **FINANCE OPTIONS!** 

# What's Included: 5V38/PRO

Each 38mm SpaceVac Pro system comes with the following items included as standard:



7 x SV38/16-Pro 7 X 38mm X 1.6m Pro Pole



SV38/08-Pro 1 X 38mm X 0.8m Pro Half Pole



SV/PB 1 x Padded Pole Bag



SV38/85W 1 x 20cm Small Flexi Brush



SV38/15SW 1 x 38cm Large Flexi Brush



SV<sub>3</sub>8/SRB 1 x Small Round Brush



SV38/FLT 1 x 30cm Flat Surface



SV38/12DB 1 X 30cm Ducting Brush



SV38/45H 1 x 45 Degree Cleaning Head



SV38/90H 1 x 90 Degree Cleaning Head



SV38/135H 1 x 135 Degree Cleaning 1 x Straight Cleaning Head



SV38/STR Head



SV/MB 1 x Mesh Bag



SV38/5H 1 x 5m Hose




**SV38/HA** 1 x Hose to Pole Adaptor



SV38/50HC 1 x 38mm Vac Inlet Cuff



SV/HB 1 x Hose Bag



Introduced to cater to power users looking to clear heights of over 20m, the SpaceVac Ultra pole is our finest high-level cleaning pole yet.

Designed and manufactured in Great Britain, the ULTRA poles have been developed in response to requests for an internal system with increased reach for use in larger interior spaces.

Developed by our team of engineers, the new pole features a market first '12K Carbon Weave' to provide a pole with our highest quality carbon engineering yet.

The new pole offers our best ever build quality in our lightest, most durable and most rigid pole yet allowing for heavy duty cleaning performance at world record breaking heights!

# Product Focus: 38mm Ultra System

No of Poles: 9.5 Material: Carbon Carbon Weave: 12k Full Carbon Fibre Working Height: 16m Length of Enclosed Poles: 15M Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 4 No of Brushes: 4 No of Tools: 1 Hose Kit Included: Yes Hose Diameter: 38mm

(Hose pictured for illustrative purposes - length of hose varies by

SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!

# What's Included: 5V38/ULTRA

Each 38mm SpaceVac Ultra system comes with the following items included as standard:



9 x SV38/16-Ultra Poles



SV38/08-Ultra 9 x 38mm x 1.6m Ultra 1 x 38mm x 0.8m Ultra 1 x Padded Pole Bag Half Pole



SV/PB



SV38/85W 1 x 20cm Small Flexi Brush



SV38/15SW 1 x 38cm Large Flexi Brush



SV<sub>3</sub>8/SRB 1 x Small Round Brush



SV38/FLT 1 x 30cm Flat Surface



SV38/12DB 1 X 30cm Ducting Brush



SV38/45H 1 x 45 Degree Cleaning Head



SV38/90H 1 x 90 Degree Cleaning Head



SV38/135H 1 x 135 Degree Cleaning 1 x Straight Cleaning Head



SV38/STR Head



SV/MB 1 x Mesh Bag



SV38/5H 1 x 5m Hose



**SV38/HA** 1 x Hose to Pole Adaptor



SV38/50HC 1 x 38mm Vac Inlet Cuff



SV/HB 1 x Hose Bag



Our specialist head pack, features a range of brand new cleaning tools and accessories for use in Museums, Galleries and Historic Houses.

Featuring specialist versions of our brushes - finished in goats hair bristles for a soft, non-abrasive cleaning tool, along with a detailing kit of cleaning accessories to enable operators using any SpaceVac highlevel cleaning system to carry out even detail cleans with a simple attachment.

The system is the perfect way of removing accumulated dust with no risk of damage or abrasion of property.



# What's Included: SV/MK

Each SpaceVac Museums system comes with the following items included as standard:



**SV38/SHHB** 1 x Small Round Horse Hair Brush [Soft]



SV38/GHB 1 x Small Goat Hair Brush (Very Soft)



SV38/8SW 1 x 20cm Small Flexi Brush Horse Hair





1 x 8 Piece Micro Tool Kit (Inc. 38mm Hose Adapter And Bag)



# **Bundles**:

The SpaceVac museums system is available to purchase as a bundle with the following backpack vacuums - offering a convenient solution to cleaning teams on the go.



# Superpro 700

- gooW 2-stage flow through motor
- 4-stage filtration with HEPA rated Hypercone™ filter
- 53L/sec airflow
- 18m power cord
- 70.2dB(A) noise level
- Weight: 5.2kg (exc hose assembly and power cord)



# Superpro battery 700 advanced

- 300W single-stage flow through
- 4-stage filtration with HEPA rated Hypercone™ filter
- z x 18V 6.oAh (108Wh) lithium-ion batteries
- 1 hour 45 minutes charge time
- 33L/sec airflow
- Weight: 5.7kg with battery pack exc hose)
- Battery run-time 40 minutes

<sup>\*</sup> Please note these models are only available to customers in the UK



**SV38/24DB** 61cm Ducting Brush



**SV38/48DB** 122cm Ducting Brush



SV38/8WT 20Cm Small Water Removal Tool



**SV38/MAB** 38mm Multi Angle Brush



SV38/SS Protective Silicon Sleeve

# Also Available:

SV38/K-HA 38mm Hose to Karcher Vac Barbed Inlet

**SQ4**Squeegee Blade Pair
For FLT



**5V38/15WT** 38cm Large Water Removal Tool



SV38/15SW/SYN 38cm Large Flexi Brush with soft bristles



**SV38/MRBSOFT**Medium Round Brush
with Soft Bristles



SV38/MRBSTIFF Medium Round Brush With Stiff Bristles



**SV38/4PB** 10cm Pipe Brush



SV38/8PB 20cm Pipe Brush




SV38/CB 38mm Crevice Nozzle with Brush



Swall Goat Hair Brush (Very Soft)



SV38/SHHB
Small Round Horse Hair
Brush (Soft)





# Internal Vacuum: SpaceVac Endeavour

SV/Endeavour 2 Motor Standard Vac



The SpaceVac Endeavour is a powerful twin motor vacuum cleaner for excellent suction and easy removal of high-level dust and dirt from internal settings.

- Two single phase brush motors double stage by-pass
- Painted version with trolley in RAL goos black, container and filter chamber in RAL 7001 grey
- · Motor-head in ABS/metal black coloured
- Independent switches for each motor
- Vacuum-meter to check the filter efficiency
- gm Long Electrical Cable
- Star filter in a cat. "L"
- · Manual filter shaker on top of the vacuum
- Quick inlet 870mm
- Dust bin of 25l provided with handle and castors
- Rear castors 8125mm, front castors 8100mm with brake
- With special support for SpaceVac tools

# Specifications:

# Endeavour 230v

- · 2 brush motors, single-phase
- 2200 WATT [2,2 kW]
- 230V. 50/60 HZ.
- 210mbar
- 340 m3/h
- 16a CEE industrial plug- UK patch lead added for 13 amp use

#### **Endeavour 110v**

- z brush motors, single-phase
- 2000 WATT (2,2 kW)
- 120V. 50/60 HZ.
- 210mbar
- 340 m3/h
- 16a CEE industrial plug



Working closely with our specialist manufacturing centre, our engineering team have developed and tested a system packed with new features and cutting edge camera technology.

The resultant system is one of the most powerful, flexible and efficient camera system available anywhere in the specialist cleaning marketplace.

The **EXPLORER** system packs a range of innovative new features including our unique remote access function; allowing for real time streaming to anyone, anywhere in the world!

# **Product Focus:**

Stills: 12mp
Records At: 1080p HD
Battery Life: 9 hours
Waterproof: Yes
Waterproof Connections: Yes
Low Light Mode: Yes
Compatible with other
devices: Yes
Remote Access Mode: Yes

#### **COMING SUMMER 2022:**

Coming soon; our new ATEX rated **EX**plorer Camera and Monitoring system for use in specialist combustible environments!

# What's Included: SVCAM/EXPLORER-KIT

Each SpaceVac Explorer system comes with the following items included as standard:



**SVCAM-EXPLORER**Waterproof Explorer
Camera



**SVCAM-OBSERVER** 1 x Phone Monitor



**2** x **SVCAM-CLAMP** 2 x Camera and Monitor Tube Clamp



SVSCREEN-MOUNT

1 x Screen Mount



**SV/CB** 1 x Camera Bag



**2 x SV/QRC 2 x Camera and Monitor Quick Release Clip** 



**SV/USB** 1 x USB Cable



**SV/DC** 1 x Data Cable

# Available Accessories:




SV/IP35 10.5m Telescopic Inspection Pole



SVCAM-FLEXIHOLD 1 x Flexible neck Bracket



**SV/IP55** 16.5m Telescopic Inspection Pole



# Under Racking Kit SV50/URKIT

Our unique **Under Racking Kit**, allows for the simple use of SpaceVac at ground level - allowing fast and easy removal of dust and other materials from floors that would otherwise be innaccessible due to the presence of racking or built in machinery that would preclude traditional cleaning methods.

Built around a core of our 50mm poles to allow for maximum airflow and highpowered cleaning performance **EVERY** time

The SpaceVac SpaceSuit is a brand new cleaning addon designed to make the use of SpaceVac even more comfortable for operators.

The lightweight but durable support brace, spreads the weight of the system evenly across operators shoulders and backs to make even long, heavy duty cleans much more comfortable and with less strain on the back, neck and shoulders.

The system also includes a pair of prismatic glasses to allow operators to easily monitor progress of cleans without needing to look upwards - helping to avoid operators straining their neck and making SpaceVac even more comfortable to work with.

In addition to being compatible with any of the SpaceVac high-level cleaning systems in our range, the new Spacesuit is also compatible for use with any telescopic inspection or even high-reach, water fed window cleaning pole systems making it an attractive add-on to facilities managers who offer these additional services in their portfolio.

#### SV/SS

1 x SpaceVac Spacesuit

#### SV/PG

1 x Prismatic Glasses

**SV/Spacesuit-Bundle** Spacesuit Bundle



**SV50/16-Classic** 50mm X 1.6m Composite Pole



**SV50/08-Classic** 50mm X 0.8m Composite Pole



**SV50/50-SCAV** 50mm x 45cm Scavenger Floor Tool



**SV50/45-FF** 50mm Alu 45 Degree Bend - Female/Female Adaptors



**SV50/45H-MM** 50mm Alu 45 Degree Bend - Male/Male Adaptors





Our External Lite Cleaning
System is a simple to use,
entry level cleaning system for
the cleaning and maintenance
of guttering and downpipes
from domestic and smaller
commercial premises.

A perfect selection for window cleaning or home maintenance business looking to increase revenue by adding additional services, the system provides all of the tools and poles required to quickly get to work.

The system features durable 50mm cleaning poles along with a range of hard wearing aluminium cleaning heads and tools.

# Product Focus: 50mm External Lite System

No of Poles: 4.5
Material: Carbon Fibre / Glass
Fibre Composite
Carbon Weave: Unidirectional
Working Height: 7.3m
Length of Enclosed Poles: 6.3m
Pole Diameter: 50mm
Pole Length: 1.4m
No of Heads: 1
No of Tools: 2
Hose Kit Included: Yes
Hose Diameter: 50mm

(Hose pictured for illustrative purposes – length of hose varies by system.)



SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!

# What's Included: SV50/LITE

Each 50mm SpaceVac External system comes with the following items included as standard:



4 x SV50/14-LITE 4 x 50mm x 1.4m Classic Pole



SV50/07-LITE 1 x 50mm x 0.7m Classic Half Pole



**SV/PB** 1 x Padded Pole Bag



SV50/135H 1 x 135 Degree Head



**SV50/50ST** 1 x 50mm Spike Tool



SV50/38ST 1 x 38mm Spike Tool



**SV50/75H** 1 X Hose X 7.5m



SV50/HA 1 x 50mm Hose to Pole Adapter



SV50/50HC 1 x 50mm Vac Inlet Cuff



SV/HB 1 x Hose Bag



**See SpaceVac In Action!**Scan the QR code to check out videos of

check out videos of the SpaceVac range in action on our Youtube channel!

# Some of our Clients Include:











Our External Cleaning System is a simple, durable system for the cleaning and maintenance of guttering and downpipes - capable of reaching up to a height over 11 metres from the safety of the ground floor.

The cleaning and regular maintenance of these guttering areas, is an often overlooked but crucial part of any building management plan; as blocked guttering can lead to leaks, structural damage to the property, and even health problems for the occupants within.

Given its almost universal application, our External system has rapidly found a home in stadiums, schools, colleges, warehousing facilities and many other sectors worldwide.

# Product Focus: 50mm External System

No of Poles: 6.5
Material: Carbon Fibre / Glass
Fibre Composite
Carbon Weave: Unidirectional
Working Height: 11.4m
Length of Enclosed Poles: 10.4m
Pole Diameter: 50mm
Pole Length: 1.6m
No of Heads: 1
No of Tools: 4
Hose Kit Included: Yes
Hose Diameter: 50mm

(Hose pictured for illustrative purposes – length of hose varies by system.)



SCAN TO FIND OUT MORE ABOUT OUR FINANCE OPTIONS!

# What's Included: SV50/FK

Each 50mm SpaceVac External system comes with the following items included as standard:



6 x SV50/16-Classic 6 x 50mm x 1.6m Classic Pole



SV50/08-Classic 1 x 50mm x 0.8m Classic Half Pole



SV/PB 1 x Padded Pole Bag



SV50/38CT 1 x Crevice tool



**SV50/135H** 1 X 135 Degree Head



**SV50/50ST** 1 x 50mm Spike Tool



**5V50/38RT** 1 X 38mm Round Tool



SV50/385T 1 x 38mm Spike Tool



**SV50/75H** 1 x Hose x 7.5m



1 x 50mm Hose to Pole Adapter



SV50/50HC 1 x 50mm Vac Inlet Cuff



**SV/HB** 1 x Hose Bag

# Some of our Clients Include:











# The SpaceVac Universal system is a flexible cleaning system designed for use in internal and external settings.

The Universal system features a full 50mm set of cleaning poles and gutter cleaning tools, along with a unique 50-38mm adaptor and a full set of our 38mm internal cleaning heads to take the system inside for removing high-level dust and other materials from height.

The system is a powerful ally to anyone working in the Facilities Management fields working across a diverse range of areas or looking to add multiple new products to their service lines.

# Product Focus: 50mm Universal System

No of Poles: 6.5 Material: Carbon Fibre / Glass Fibre Composite Carbon Weave: Unidirectional Working Height: 11.4m Length of Enclosed Poles: 10.4m Pole Diameter: 50mm Pole Length: 1.6m No of Heads: 5 No of Brushes: 5 No of Tools: 4 Hose Kit Included: Yes Hose Diameter: 50mm

(Hose pictured for illustrative purposes - length of hose varies by system.]



SCAN TO FIND OUT MORE ABOUT OUR **FINANCE OPTIONS!** 

# What's Included: SV50/UNI

Each 50mm SpaceVac Universal system comes with the following items included as standard:



6 x SV50/16-Classic 6 x 50mm x 1.6m Classic Pole



SV50/08-Classic 1 X 50mm X 0.8m Classic Half Pole



SV/PB 1 x Padded Pole Bag



SV50/38CT 1 x Crevice tool



SV50/135H 1 x 135 Degree Head



SV50/50ST 1 x 50mm Spike Tool



SV50/38RT 1 X 38mm Round Tool



SV50/38ST 1 x 38mm Spike Tool



SV50/75H 1 x Hose x 7.5m



SV50/HA 1 x 50mm Hose to Pole Adapter



SV50/50HC 1 x 50mm Vac Inlet Cuff



SV/HB 1 x Hose Bag





SV38/45H 1 x 30cm Ducting Brush 1 x 45 Degree Cleaning Head



SV38/90H 1 x go Degree Cleaning Head



SV38/135H 1 x 135 Degree Cleaning Head

# Universal System Inventory (cont)



SV<sub>3</sub>8/STR 1 x Straight Cleaning Head



SV38/15SW 1 x 38cm Large Flexi Brush



SV<sub>3</sub>8/FLT 1 x 30cm Flat Surface Tool



SV38/8SW 1 x 20cm Small Flexi Brush



SV50/SS Protective silicon sleeve



SV50/BRT Branch trimming tool

# Also Available:

SV50/K-HA

Hose to Karcher barbed inlet

SV50/50RT-CO

50mm composite gutter tool round end



SV<sub>3</sub>8/SRB 1 x Small Round Brush



SV50/38PA 1 x 50mm to 38mm Adaptor



SV/MB 1 x Mesh Bag



See SpaceVac In Action! Scan the QR code to check out



# External Accessories:



SV50/15H 15 Degree Aluminium Head



SV50/45H 45 Degree Aluminium Cleaning Head



SV50/90H go Degree Aluminium Cleaning Head



SV50/50ST-CO Composite Gutter Spike



SV50/180H 180 Degree Aluminium Box Gutter Head Cleaning Head

38.




SV50/BGH



SV50/PMT Plastic Moss Cleaning Tool



SV50/AMT Aluminium Moss Cleaning Tool



# External Vacuumn - SpaceVac Hurricane



The SpaceVac Hurricane is a brand new, custom designed triple motor wet/dry vacuum capable of delivering powerful cleaning performance inside or out.

- Three single phase brush motors double stage by-pass
- Painted version with trolley "LIGHT VERSION type" in RAL 9005 black, container and filter chamber in RAL 7001 grey
- Motor-head in ABS/metal black coloured
- · Independent switches for each motor
- $\boldsymbol{\cdot}$  Vacuum-meter to check the filter efficiency
- •gm Long Electrical Cable
- Star filter in polyester cat. "L" 8460mm
- · Manual filter shaker on top of the head
- · Quick product inlet 870mm
- Dust bin of 65l with integrated handle and castors
- Rear castors 0150mm, front castors 0125mm with brake
- · Without accessory basket in front
- · With special support for SpaceVac tools

# Specifications:

# 230v Triple Vac Motor

- · 3 brush motors, single-phase
- 3300WATT (3,3 kW)
- 230V. 50/60 HZ.
- 225mbar
- 510 m3/h
- 16a CEE industrial plug


#### 120v Triple Vac Motor

- 3 brush motors, single-phase
- 2300 WATT (2,4 kW)
- 120V. 50/60 HZ.
- zoo mbar
- 450 m3/h
- 16a CEE industrial plug

Don't Delay: Book a Free Demo of these new Vacuum units with your local SpaceVac rep!

spacevacinternational.com





Tested and certified to ATEX standards; our Atex LITE Cleaning System is a perfect introductory system for occasional users and operators cleaning at low levels in Atex areas.

Recognising that not all specialist atmospheres have to be huge spaces, the Atex LITE system has been developed for entry level users and teams with occasional cleaning requirements above head height.

In developing a smaller variant of our 38mm cleaning pole, SpaceVacs engineers have created the perfect beginners SpaceVac pole - offering a lightweight package with dependable robust construction to offer peace of mind to operators.

# Product Focus: 38mm Atex Lite

No of Poles: 3
Material: 100% Carbon
Carbon Weave: Full 4k Carbon
Fibre
Working Height: 4.75m
Length of Enclosed Poles: 3.75m
Pole Diameter: 38mm
Pole Length: 1.25m
No of Heads: 2
No of Brushes: 1
No of Tools: 1
Hose Kit Included: Yes
Hose Diameter: 38mm

(Hose pictured for illustrative purposes - length of hose varies by

Conductive - A conductive tool has a volume resistance <104 ohms. If may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, a1 and 22

# What's Included: SVA38/EX-LITE

Each 38mm SpaceVac Atex Lite system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



**3 x SVA38/125-LITE** 3 x 38mm x 1.25m Conductive Cleaning Poles



**5V/LPB** 1 x Lite Pole Bag



**SVA38/90H** 1 x Conductive 90 Degree Cleaning Head



**SVA38/45H**1 x Conductive 45
Degree Cleaning Head



**SVA38/FLT**1 x Conductive 30cm
Flat Surface Tool



SVA38/SRB 1 x Conductive Small Round Brush



**SV/MB** 1 x Mesh Bag



**SVA38/5H** 1 x Conductive 5m Hose



**SVA38/HA** 1 x 38mm Conductive Hose to Pole Adaptor



SVA38/50HC 1 x Conductive 38mm hose to 50mm Vac Inlet Cuff



**SV/HB** 1 x Hose Bag

# Accessories Available: Be sure to check out the range of conductive tools and brushes you can add to your Spacevac on

# Some of our Clients Include:











# The Atex Pioneer has been specifically launched to fill a gap in the Atex cleaning line.

Tested and certified to Atex standards; the Atex Pioneer offers operators over 6 metres of reach from the safety of the ground floor, allowing operators to safely remove combustible materials such as wood. flour or paper from above head heiaht.

The system was designed to sit in the SpaceVac range between our entry level Atex Lite system and the more advanced heavy duty products elsewhere in the line such as our **Pro** and **Ultra** lines and is all manufactured in fully conductive 100% Carbon Fibre.

# **Product Focus:** 38mm Atex Pioneer

Carbon Weave: Full 4k Carbon Working Height: 6.6m Length of Enclosed Poles: 5.6m Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 3 No of Brushes: 1 No of Tools: 2 **Hose Kit Included:** Yes Hose Diameter: 38mm

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

# What's Included: SVA38/EX-PIONEER

Each 38mm SpaceVac Atex Pioneer system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



3 x 38mm x 1.6m Conductive Pioneer Poles



3 X SVA38/16-PIONEER SVA38/08-PIONEER 1 X 38mm X 0.8m Conductive Pioneer Half Pole



SV/PB 1 x Padded Pole Bag



SVA38/90H 1 x Conductive 90 Degree Cleaning Head



SVA38/135H 1 x Conductive 135 Degree Cleaning Head



SVA38/45H 1 x Conductive 45 Degree Cleaning Head



SVA38/FLT 1 x Conductive 30cm Flat Surface Tool



SVA<sub>3</sub>8/CT 1 x Conductive Crevice



SVA38/SRB 1 x Conductive Small Round Brush



SV/MB 1 x Mesh Bag



SVA38/HA 1 X 38mm Conductive Hose to Pole adaptor



SVA38/5H 1 x Conductive 5m Hose



SVA38/50HC 1 x Conductive 38mm hose to somm Vac Inlet Cuff



SV/HB 1 x Hose Bag

#### **COMING SUMMER 2022:**



# Our 38mm Atex cleaning poles were a world first when they first entered the combustible market in 2016.

Developed in response to a number of deadly incidents involving the use of incorrect cleaning equipment in explosive atmospheres, SpaceVac sought to engineer a system safe for use in these specialised environments.

Manufactured to the highest standards right here in the UK - our Atex poles are made from 100% Carbon Fibre and are tested and certified to Atex standards.

The system is fully accessorised with a range of Atex and anti-static accessories for flexible cleaning options.

# **Product Focus:** 38mm Atex Pro

No of Poles: 5.5 Carbon Weave: Full 4k Carbon Working Height: 9.8m Length of Enclosed Poles: 8.8m Pole Diameter: 38mm Pole Length: 1.6m No of Heads: 4 No of Brushes: 2 No of Tools: 2 **Hose Kit Included:** Yes Hose Diameter: 38mm

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

# What's Included: SVA38/EX-PRO

Each 38mm SpaceVac Atex Pro system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



5 x SVA38/16-PRO 5 x 38mm x 1.6m Cleaning Poles



SVA38/08-PRO 1 X 38mm X 0.8m Pro Half Pole



SV/PB 1 x Padded Pole Bag



SVA38/90H 1 x Conductive 90 Degree Cleaning Head



SVA38/135H 1 x Conductive 135



SVA38/45H 1 x Conductive 45 Degree Cleaning Head Degree Cleaning Head



SVA38/STR 1 x Conductive Straight Cleaning Head



SVA<sub>3</sub>8/FLT 1 x Conductive 30cm Flat Surface Tool



SVA38/LRB Conductive Large Round Brush\*\*



SVA38/4PB 1 x Conductive 10cm Pipe Brush



SVA38/CT 1 x Conductive Crevice 1 x Mesh Bag





SVA38/5H 1 x Conductive 5m Hose 1 x Conductive 38mm



SVA<sub>3</sub>8/HA Hose to Pole adaptor



SVA38/50HC 1 x Conductive 38mm 1 x Hose Bag hose to 50mm Vac Inlet Cuff



SV/HB





Our new Atex Ultra cleaning poles are the new standard in high-level cleaning worldwide; utilising cutting edge carbon engineering techniques to create our lightest, most durable pole ever.

Designed to provide a cleaning system with the ability to reach heights up to 15m as standard - with the ability to reach over zom when extended - the new Atex Ultra range provides unrivalled build quality and performance - delivering a pole that is lighter than our pro pole, with increased rigidity and an even stronger carbon weave.

The result of these developments in carbon engineering technology is a pole that can scale heights of over 15m from the safety of the ground floor.

# **Product Focus:** 38mm Atex Ultra

No of Poles: 9.5 Carbon Weave: Full 12k Carbon Length of Enclosed Poles: 15m Pole Diameter: 38mm No of Heads: 4 No of Brushes: 2 No of Tools: 2 **Hose Kit Included:** Yes Hose Diameter: 38mm

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, 21 and 22

# What's Included: SVA38/EX-ULTRA

Each 38mm SpaceVac Ultra system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



9 x SVA38/16-ULTRA 9 x 38mm x 1.6m Ultra Cleaning Poles



SVA38/08-ULTRA 1 x 38mm x o.8m Ultra 1 x Padded Pole bag Half Pole



SV/PB



SVA38/90H 1 x Conductive 90 Degree Cleaning Head



SVA38/45H 1 x Conductive 45 Degree Cleaning Head



SVA38/135H 1 x Conductive 135 Degree Cleaning Head



SVA<sub>3</sub>8/FLT SVA38/STR 1 x Conductive Straight 1 x Conductive 30cm Cleaning Head Flat Surface Tool



SVA38/LRB Conductive Large Round Brush\*\*



SVA38/4PB 1 x Conductive 10cm Pipe Brush



SVA<sub>3</sub>8/CT 1 x Conductive Crevice 1 x Mesh Bag Tool



SV/MB



SVA38/10H-ULTRA 1 x 10m Conductive X HD rated Hose



SVA<sub>3</sub>8/HA-ULTRA 1 x Conductive 38mm Hose to Pole Adaptor



SVA38/50HC-ULTRA 1 x Conductive 38mm 1 x Hose Bag to somm Vac Inlet Cuff



SV/HB



# The manufacture of Food & Drink is one that requires the very highest standards in cleanliness.

The risks of cross-contamination and the integrity of the wider food chain, mean that cleaners and facilities managers have a requirement to easily remove these by-products from within their premises as well as the pests attracted by these products.

By developing a specialist food and drink safe version of our cleaning system - featuring a range of FDA approved cleaning heads - SpaceVac has created a unique solution for cleaning above head height. With materials like dust and flour often dispersing and settling on high level areas, our Food Safe system easily reaches these otherwise inaccessible areas to remove these materials quickly and safely.

# Product Focus: SpaceVac Food Safe

Carbon Weave: 12k Woven Carbon Working Height: 9.8m Pole Diameter: 38mm Pole Length: 1.6m No of Brushes: 3 No of Tools: 2 Hose Kit Included: Yes Hose Diameter: 38mm

\* Please note:

# What's Included: SVA38/EX-FOOD

Each 38mm SpaceVac Food Safe system comes with the following items included as standard: and NEPA Certified



5 x SVA38/16-PRO 5 x 38mm x 1.6m Atex Pro Pole



SVA38/08-PRO 1 X 38mm X 0.8m Atex Pro Half Pole



SV/PB 1 x Padded Pole bag



SVA38/135H 1 x Conductive 135 Degree Head



SVA38/45H 1 x Conductive 45 Degree Head



SVA38/90H 1 x Conductive 90 Degree Head



SVA<sub>3</sub>8/STR 1 x Conductive Straight 1 x Anti Static Nozzle Cleaning Head



SVA38/FSCONE Tool



SVA38/FSGN 1 x Anti Static Gulper Tool



SVA38/FSTB 1 x Anti Static Triangular Brush



SVA38/FSRB SVA38/FSREC 1 x Anti Static 1 x Anti Static Rectangular Brush Round Brush



SV/MB 1 x Mesh Bag



SVA38/10H-ULTRA SVA38/HA 1 x Conductive Hose x 10m



1 x Conductive 38mm Hose to pole adaptor



SVA38/50HC 1 x Conductive 38mm Vac Inlet Cuff



SV/HB 1 x Hose bag



SV/SB-\* 10 x Silicon Bands



Designed for power users operating in the most extreme of cleaning environments, our 50mm Atex PRO cleaning poles are the next evolution in cleaning.

Developed in response to customer demand from operators who were cleaning in extreme heavy duty environments, our 50mm cleaning poles offer an increased operating diameter to users, to increase airflow when cleaning at height - even when removing heavy duty blockages such as sawdust, wood shavings or metal filings.

Engineered to the highest standards in the UK - our 50mm poles are manufactured to a high grade 100% carbon formula right here in our brand new U.K manufacturing facility - and are all tested and certified to Atex standards.

# Product Focus: 50mm Atex Pro

No of Poles: 6.5
Material: 100% Carbon
Carbon Weave: Full 4k Carbon
Fibre
Working Height: 11.4m
Length of Enclosed Poles: 10.4m
Pole Diameter: 50mm
Pole Length: 1.6m
No of Heads: 4
No of Brushes: 1
No of Tools: 3
Hose Kit Included: Yes
Hose Diameter: 50mm

(Hose pictured for illustrative purposes - length of hose varies b

Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres - Atex zones 1, 2, a1 and 22

# What's Included: SVA50/EX-PRO

Each 50mm SpaceVac Atex Pro system comes with the following items included as standard: Independently certified to be compliant with the Atex Directive 2014/34/EU: ISO 80079-36:2016 and ISO 80079-37 and NFPA Certified.



**6 x SVA50/16-PRO** 6 x 50mm x 1.6m Pro Pole [6]



SVA50/08-PRO 1 x 50mm x 0.8m Pro Half Pole



**SV/PB** 1 x Padded Pole bag



**SVA50/135H**1 x Conductive 135
Degree Aluminium Head



**SVA50/90H** 1 x Conductive 90 Degree Aluminium Cleaning head



SVA50/45H 1 x Conductive 45 Degree Aluminium Cleaning Head



SVA50/15H 1 x Conductive 15 Degree Aluminium Cleaning Head



**SVA50/LRB**1 x Conductive Large
Round Brush



**SVA5o/FLT4oo-HD**1 x Conductive 4ocm
Heavy Duty Flat
Surface Tool



**SVA50/CN** 1 x Conductive Rubber Conical Nozzle



**SVA50/GN** 1 X Conductive 50mm Gulper Nozzle



**SV/MB** 1 x Mesh Bag



SVA50/10H-ULTRA 1 X 10m Conductive X HD rated Hose



**SVA50/50HA** 1 X Conductive 50mm Hose to Pole adaptor



SVA50/50HC 1 x Conductive 50mm Vac Inlet Cuff



**SV/HB** 1 x Hose Bag

# 38mm Floor Kit:

#### SVA38/FL-KIT





SVA38/FLT400-HD 1 x Conductive 40cm Heavy Duty Floor Tool\* Degree Cleaning Head



SVA38/45H 1 x Conductive 45



SVA38/125P-STR 1 x Conductive Strengthened 1.25m Carbon pole



SVA<sub>3</sub>8/HA 1 x Conductive Hose to Pole adaptor

# 50mm Floor Kit:

SVA50/FL-KIT





SVA50/FLT400-HD 1 x Conductive 400mm 1 x Conductive 45 Heavy Duty Floor Tool\* Degree



SVA50/45H-MFPA Aluminium Head



SVA50/125P-STR 1 x Conductive Strengthened 1.25m Carbon pole



SVA50/HA 1 x Conductive Hose to Pole adaptor

# Anti-Static Accessories: [\*]



SVA38/15SW/SYN Anti-Static 38cm LargeFlexi-Brush Syn- Flexi-Brush\* thetic Bristle\*



SVA38/85W Anti-Static zocm Small



SVA38/15SW Anti-Static 38cm Large Anti-Static 30cm Duct Flexi Brush - Natural Bristle\*



SVA38/12DB Brush\*



SVA38/24DB Anti-static 61cm Duct Brush\*



SVA38/48DB Anti-Static 122cm Duct Brush\*



SVA38/MRB Anti-Static Medium Round Brush\*

[\*] Antistatic - An antistatic tool has a volume resistance < 109 ohms, and/or with a conductor built in. For use in general non-hazardous areas and explosive atmospheres -ATEX Zone 22 Dust only.

# Conductive Accessories: [\*\*]



SVA<sub>3</sub>8/8PB Conductive 20cm Pipe Brush\*\*



SVA38/FLT400-HD Conductive 40cm Heavy Duty Floor Tool\*\*



SVA50/FLT400-HD Conductive 40cm Heavy Duty Floor Tool\*\*



SVA38/0N **Conductive Stainless** Steel Oven Nozzle\*\*



SVA50/SN Conductive 50mm SS Spike / Gulper Nozzle\*\* Round Brush\*\*



SVA38/LRB Conductive Large



SVA50/38PA Conductive 50mm-38mm Adaptor\*\*

[\*\*] Conductive - A conductive tool has a volume resistance <104 ohms. It may have a conductor built in. For use in general non-hazardous areas and explosive atmospheres -Atex zones 1, 2, 21 and 22

# Also Available (Conductive):

SVA38/ONREP Scraper/Wheel Repair Kit For Oven Nozzle

SVA50/CT Conductive 50mm SS Crevice Nozzle

SVA<sub>3</sub>8/KNT-HA Conductive 38mm Inlet Adapter Karcher NT Type 22

# Atex Vacuum: SpaceVac Titan



Specifications: Titan 230v / 1.5kW

- 1,5 kW turbine, single phase 230V. 50/60 HZ.
- zoo mbar
- 200 m3/h
- 16a CEE industrial plug- UK patch lead added for 13 amp use

Titan 230v / 2.2kW

- 2,2 kW turbine, single phase
- 230V. 50/60 HZ.
- 170mbar
- 405 m3/h
- 16a CEE industrial plug- UK patch lead added for 13 amp use

The New SpaceVac TITAN is a efficient ATEX certified vacuum cleaner safe for use in the removal of zone 22 dust (group II, category 3D)

This revolutionary new ATEX Vacuum system offers a fully conductive single motor solution, designed to provide powerful suction for use with our Conductive Atex cleaning systems.

- $\cdot$  Single phase motor asynchronous marked ATEX EX II 3D
- Trolley in RAL 9005 black, container in stainless steel and filter chamber in RAL 9003 white
- Vacuum-meter to check the filter efficiency
- Electric cable 10m long with industrial plug 2P+earth 16A IP67 marked ATEX
- Star filter in polyester cat. "L" antistatic
- · Manual filter shaker on side
- Quick inlet 870mm
- · Relief valve put in as standard
- Dust bin of 251 provided with handle and castors
- Rear castors 0:25mm, front castors 0:00mm with brake, antistatic
- With special support for SpaceVac tools

Titan 110v / 1.5kW

- 1,5 kW turbine, single phase
- 110V. 50/60 HZ.
- zoo mbar
- 200 m/3h
- 16a CEE Industrial plug

Titan 110v / 2.2kw

- 2,2 kW turbine, single phase
- 110V. 50/60 HZ.
- 170mbar
- 405 m3/h
- 32a CEE Industrial plug





Our unique High-Voltage safe range of cleaning poles and tools have been specifically designed for use in extreme high-voltage areas where use of a regular SpaceVac would be prohibited.

Designed and manufactured here in the UK and tested and developed in collaboration with the University of Manchester, this new generation of SpaceVac poles and tools have been tested and independently certified as being capable of withstanding voltages up to 50,000v to enable operators to take our revolutionary high-level cleaning systems and put them to work in areas such as trackside, underground or working near overhead powerlines.

# Product Focus: SpaceVac High Voltage

No of Poles: 6

Material: Non Conductive Glass Fibre Working Height: 9.4m Length of Enclosed Poles: 8.4m Pole Diameter: 50mm Pole Length: 1.4m No of Heads: 4 No of Brushes: 5 Hose Kit Included: Yes

(Hose pictured for illustrative purposes - length of hose varies by system.)

Hose Diameter: 50mm

# What's Included: SV50/HV

Each 50mm SpaceVac High Voltage system comes with the following items included as standard:



6 x SV50/14-HV 6 x 1.4m" x Non Conductive 50mm High Voltage Poles



SV/PB 1 x Padded Pole bag



**SV38/goH** 1 x go Degree Cleaning Head



SV38/135H 1 X 135 Degree Cleaning Head



**SV38/STR** 1 x Straight Cleaning Head



SV38/45H SV38/6 1 x 45 Degree Cleaning 1 x 200 Head Brush



SV38/8SW SV 1 x 20cm Small Flexi 1 x



SV38/15SW 1 x 38cm Large Flexi Brush



SV38/FLT 1 x Flat Surface Tool



5V38/1≥DB 5V38/5RB 1 x 30cm Ducting Brush 1 x Small Round Brush



SV50/HVPA 1 x 50mm to 38mm Adaptor



SV/MB 1 x Mesh Bag



**SV50/75H** 1 X Hose 7.5m



SV50/HVHA 1 x Hose to Pole adaptor



**SV50/50HC** 1 x 50mm Vac Inlet Cuff



**SV/HB** 1 x Hose Bag





# Find Out More:

W: space-vac.co.za E: info@space-vac.co.za